FIRE TROL® fireproof column types OS and SO by United Steel, Inc

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 105540674560

CLASSIFICATION: 05 12 16 Fabricated Fire Protected Steel Columns

PRODUCT DESCRIPTION: This HPD covers Fire Trol® fireproof column from Fire-Trol Company a branch of United Steel Inc.,. Specifically, it covers column configuration OS and SO respectively [Round shell casing with interior Square structural column] and [Square shell casing with interior round structural column]. Fire Trol® columns are designed as a prefabricated fireproof unit consisting of a load-bearing steel column encased in a concrete and vermiculite materials which is permanently protected by an outer shell of non-load-bearing steel. Fire Trol® columns are rated and labeled by Underwriters Laboratories for fire retardant classification of 2, 3 and 4 hour rating as per ASTM E 119, as well as the latest specifications of the American Institute of Steel Construction (AISC), and the American Concrete institute (ACI).

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 5 of 5 Materials

Explanation(s) provided for Residuals/Impurities?

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved methods.

Identified

Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

STEEL PIPE AND STEEL TUBE PARTS [IRON, ELEMENTAL LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CARBON LT-UNK COPPER LT-P1 | MUL | AQU | MAM CHROMIUM LT-P1 | END | SKI | MAM | REP | RES SILICON, ELEMENTAL LT-UNK NICKEL LT-1 | CAN | MUL | RES | MAM | SKI | AQU PHOSPHORUS BM-2 | MAM | PHY | EYE | AQU | SKI ALUMINUM BM-1 | END | MAM | PHY MOLYBDENUM LT-UNK | MAM | SKI | REP SULFUR, PRECIPITATED LT-UNK | SKI | MAM NITROGEN NOGS | CONCRETE | QUARTZ BM-1 | CAN | MAM | GEN PORTLAND CEMENT LT-P1 | CAN | END | MAM WATER BM-4 POZZOLANS, COAL-ASH NoGS | WATER | WATER BM-4 | **VERMICULITE [SILICON DIOXIDE BM-1 | CAN | MAM MAGNESIUM** OXIDE BM-3dg | CAN | MAM ALUMINUM OXIDE BM-2 | MAM FERRIC OXIDE BM-1 | CAN | MAM POTASSIUM OXIDE BM-2 CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) BM-2 | SKI | MAM | EYE TITANIUM DIOXIDE BM-1 | CAN | END | MAM SODIUM OXIDE BM-2 DICHROMIUM TRIOXIDE BM-1 | SKI | MAM PHOSPHORUS PENTOXIDE LT-P1 | SKI | EYE | MAM MANGANESE (II) OXIDE LT-P1 | SKI | EYE | MAM QUARTZ BM-1 | CAN | MAM | GEN | CEMENT | PORTLAND CEMENT LT-P1 | CAN | END | MAM CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) BM-2 | SKI | MAM | EYE SILICON DIOXIDE BM-1 | CAN | MAM LIMESTONE BM-3dg ALUMINUM OXIDE BM-2 | MAM SULFUR TRIOXIDE BM-2 | MAM FERRIC OXIDE BM-1 | CAN | MAM MAGNESIUM OXIDE BM-3dg | CAN | MAM POTASSIUM OXIDE BM-2 **SODIUM OXIDE BM-2**

Number of Greenscreen BM-4/BM3 contents ... 5

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD has been prepared using a Nested Materials Inventory with a product threshold at 1000 ppm and group various configuration of Firetrol® fireproof columns which introduces ranges in content inventory. Firetrol® fireproof column include different steel based materials provided by many suppliers. It was chosen in this HPD to group all steel pipe and steel tube parts regardless of the steel used. Steel based components are similar and the variation comes from alloying elements and/or surface treatment which both represent small quantities in the overall steel products. More details about how residuals and impurities were considered available in the appropriate sections. Guidelines for reporting Specials Conditions materials are still under development by HPDC. Fire-Trol® company will update the HPD accordingly once these guidelines are published. Please note that warning BM-1, provided by the HPD Builder tool, applies to Quartz sand (Silicon dioxide) used only in its dry form, when not activated by water. This warning must be observed when mixing with water or when aggravated during (including, but not limited to, cutting, drilling, chipping, crushing or grinding).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC Content data is not applicable for this product category.

listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

PREPARER: Vertima

SCREENING DATE: 2025-03-17

C Yes

VERIFIER:

PUBLISHED DATE: 2025-03-17

No

VERIFICATION #:

EXPIRY DATE: 2028-03-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

STEEL PIPE AND STEEL TUBE PARTS %: 44.0000 - 50.0000

SUBSTANCE NOTES: Please refer to Other Material Notes.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Only residuals and impurities present within the chosen disclosure threshold have provided by suppliers. Some suppliers report residuals and impurities were considered under 100 ppm threshold. Based on steel suppliers, the recycled content (RC) is declared 24.8% - 36.9% for BOF and 76.0% for EAF.

OTHER MATERIAL NOTES: Weight ranges are used to cover multiple products and to not reveal exact recipe.

IRON, ELEMENTAL ID: 7439				
HAZARD DATA SOURCE: Pharo	s Chemical and Materials Library		HAZA	ARD SCREENING DATE: 2025-03-17 6:35:06
%: 98.6700 GreenS	creen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists

MANGANESE				ID: 7439-96-5
HAZARD DATA SOURCE: Pha	aros Chemical and Materials L	ibrary	HAZARI	O SCREENING DATE: 2025-03-17 6:35:07
%: 0.0000 - 0.7200	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

CARBON				ID: 7440-44-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARI	O SCREENING DATE: 2025-03-17 6:35:08
%: 0.0000 - 0.2400	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials

COPPER ID: 7440-50-8

AZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:09		
%: 0.0000 - 0.0800	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances I Waters	Hazardous to	Class 3 - Severe	Hazard to Waters
AQU	EU - GHS (H-Statements) A	nnex 6 Table 3-1		aquatic life with long lasting effects se aquatic environment (chronic) -
MAM	GHS - Japan			se respiratory irritation [Specific target Single exposure - Category 3]
MAM	GHS - Japan			damage to organs [Specific target toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautio	nary List
			Precautionary lis	st of substances recommended for
RESTRICTED LIST	Green Science Policy Institu	te (GSPI)	GSPI - Six Class	ses Precautionary List
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	octs
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute		.1 Product Standard Restricted fective July 1, 2024
			Children's Toy P	roducts

CHROMIUM ID: 7440-47-3

HAZARD DATA SOURCE: P	haros Chemical and Materials L	ibrary	HAZARI	SCREENING DATE: 2025-03-17 6:35:08
%: 0.0000 - 0.0600	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURC	E	WARNINGS	
END	TEDX - Potential Endocrin	e Disruptors	Potential Endocr	rine Disruptor
SKI	MAK		Sensitizing Subs	stance Sh - Danger of skin sensitization
MAM	GHS - Japan			se respiratory irritation [Specific target Single exposure - Category 3]
REP	GHS - New Zealand		Reproductive to	xicity category 2
RES	GHS - Japan		-	se allergy or asthma symptoms or lties if inhaled [Respiratory sensitization -
ADDITIONAL LISTINGS	LIST NAME AND SOURC	E	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	icts
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute		.0 Product Standard Restricted (RSL) - Effective July 1, 2022
			Cosmetics & Per	rsonal Care Products
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute		.1 Product Standard Restricted fective July 1, 2024
			Children's Toy P	roducts
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute		1.1 Product Standard Restricted fective July 1, 2024
			Cosmetics and F	Personal Care Products

SUBSTANCE NOTES: Please refer to Other Material Notes.

SILICON, ELEMENTAL ID: 7440-21-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:09		
%: 0.0000 - 0.0600	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Please refer to Other Material Notes.

NICKEL ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-03-17 6:35:09

%: 0.0000 - 0.0500 GreenScreen: LT-1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

PHOSPHORUS				ID: 7723-14-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	O SCREENING DATE: 2025-03-17 6:35:10
%: 0.0000 - 0.0400	GreenScreen: BM-2	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category
PHY	GHS - New Zealand	Pyrophoric solids category 1
EYE	GHS - New Zealand	Serious eye damage category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - New Zealand	Skin corrosion category 1A
MAM	GHS - New Zealand	Acute dermal toxicity category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
MAM	GHS - New Zealand	Acute oral toxicity category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

ALUMINUM			ID: 7429-90-5		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-03-17 6:35:09		
%: 0.0000 - 0.0400	GreenScreen: BM-1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

MOLYBDENUM				ID: 7439-98-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:11		
%: 0.0000 - 0.0200	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	se respiratory irritation [Specific target Single exposure - Category 3]
SKI	GHS - Japan		H315 - Causes Category 2]	skin irritation [Skin corrosion / irritation -
REP	GHS - New Zealand		Reproductive to	xicity category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SULFUR, PRECIPITATED	ID: 7704-34-9
----------------------	----------------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:09		
%: 0.0000 - 0.0100	%: 0.0000 - 0.0100 GreenScreen: LT-UNK RC: Both		NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	Ē	WARNINGS	
SKI	EU - GHS (H-Statements)	Annex 6 Table 3-1	H315 - Causes s Category 2]	skin irritation [Skin corrosion/irritation -
SKI	GHS - New Zealand		Skin irritation ca	tegory 2
SKI	GHS - Australia		H315 - Causes s Category 2]	skin irritation [Skin corrosion/irritation -
МАМ	GHS - Japan			damage to organs [Specific target toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	<u> </u>	NOTIFICATION	
RESTRICTED LIST	Green Science Policy Instit	ute (GSPI)	GSPI - Six Class	ses Precautionary List
			Antimicrobials	

SUBSTANCE NOTES: Please refer to Other Material Notes.

NITROGEN	ID: 7727-37-9
----------	----------------------

HAZARD DATA SOURCE:	ARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:10		
%: 0.0000 - 0.0100	GreenScreen: NoGS	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European EC)	European Union / European Commission (EU		emptions	
	-,		Exempted from REACH Annex IV listing due to intrinsic safety		

CONCRETE	%: 29.0000 - 38.0000
----------	----------------------

PRODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived
ppm	Yes	Material

RESIDUALS AND IMPURITIES NOTES: Potential impurity of Portland Cement and various geological materials, based on information provided by suppliers.

OTHER MATERIAL NOTES: Weight ranges are used to cover multiple products and to not reveal exact recipe.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	у	HAZA	ARD SCREENING DATE: 2025-03-17 6:35:		
%: 60.0000 - 95.0000	GreenScreen: BM-1	RC: None	None NANO: No SUBSTANCE ROLE: Structu			
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Carcin	ogens	S Occupational Carcinogen			
CAN	CA EPA - Prop 65		Carcinogen -	specific to chemical form or exposure route		
CAN	US NIH - Report on Carcinoge	ns	Known to be occupational	Human Carcinogen (respirable size - setting)		
CAN	MAK		Carcinogen C	Group 1 - Substances that cause cancer in		
CAN	IARC		Group 1 - Ago	ent is carcinogenic to humans - inhaled from sources		
CAN	IARC		Group 1 - Ag	ent is Carcinogenic to humans		
CAN	CA EPA - Prop 65		Carcinogen			
CAN	US NIH - Report on Carcinoge	ns	Known to be	a human Carcinogen		
CAN	GHS - Japan	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia			H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - New Zealand		Carcinogenic	ity category 1		
MAM	GHS - Japan		repeated exp	es damage to organs through prolonged or osure [Specific target organs/systemic toxicit eated exposure - Category 1]		
GEN	GHS - Japan		H341 - Suspe mutagenicity	ected of causing genetic defects [Germ cell - Category 2]		
MAM	GHS - Australia		repeated exp	es damage to organs through prolonged or osure [Specific target organ toxicity - osure - Category 1]		
MAM	GHS - New Zealand		Specific targe	et organ toxicity - repeated exposure category		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON		
None found				No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Represent Aggregate + Quartz sand. Please refer to Other Material Notes.

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE:	URCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:11		
%: 3.0000 - 20.0000	.0000 - 20.0000 GreenScreen: LT-P1 RC: None		NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE	IST NAME AND SOURCE			
CAN	MAK	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan	GHS - Japan		mage to organs through prolonged or E[Specific target organs/systemic toxicity exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	LIST NAME AND SOURCE			
None found		No	listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Represent Hydraulic cement (Portland). Please refer to Other Material Notes.

WATER ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-03-17 6:35:1		
%: 6.0000 - 13.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European	Commission (EU	EU - REACH Exer	mptions
	EC)		Exempted from RI safety	EACH Annex IV listing due to intrinsic

SUBSTANCE NOTES: Please refer to Other Material Notes.

POZZOLANS, COAL-ASH ID: 71243-67-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-03-17 6:35:11		
%: 0.0000 - 11.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard Lists	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Please refe	er to Other Material Notes.	

WATER	%: 10.0000 - 13.0000	
PRODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived
ppm	Yes	Material

RESIDUALS AND IMPURITIES NOTES: No known residuals and impurities above the 1000 pm threshold.

OTHER MATERIAL NOTES: Weight ranges are used to cover multiple products and to not reveal exact recipe. Water drawn from the mains of city.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE:	2025-03-17 6:35:11
%: 100.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE RO	LE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD P	riority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Co	ommission (EU	EU - REACH Exer	mptions	
	_0,		Exempted from RI safety	EACH Annex IV listing	due to intrinsic

SUBSTANCE NOTES: Please refer to Other Material Notes.

VERMICULITE	%: 3.0000 - 5.0000	
PRODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived
ppm	Yes	Material

RESIDUALS AND IMPURITIES NOTES: No known potential residuals/impurities for Vermiculite above 1000 ppm threshold based information provided by suppliers.

OTHER MATERIAL NOTES: Weight ranges are used to cover multiple products and to not reveal exact recipe.

SILICON DIOXIDE				ID: 7631-86-9
HAZARD DATA SOURCE: Ph	aros Chemical and Materials Li	brary	HAZARD	SCREENING DATE: 2025-03-17 6:35:12
%: 36.0000 - 44.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Desiccant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
SUBSTANCE NOTES: Please ref	er to Other Material Notes.	

MAGNESIUM OXIDE ID: 1309-48-4

HAZARD DATA SOURCE: P	Pharos Chemical and Materials Libra	ry	HAZARD	SCREENING DATE: 2025-03-17 6:35:13
%: 17.0000 - 22.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group	o 4 - Non-genotoxic carcinogen with low AT levels
MAM	GHS - Japan		•	e respiratory irritation [Specific target ngle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	b listings found on Additional Hazard Lists

SUBSTANCE NOTES: Please refer to Other Material Notes.

ALUMINUM OXIDE	ID: 1344-28-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2025-03-17 6:35:14

%: 10.0000 - 15.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Librar	У	HAZARD S	SCREENING DATE: 2025-03-17 6:35:12
%: 9.0000 - 13.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient for	o 3B - Evidence of carcinogenic effects or classification
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
MAM	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Please refer to Other Material Notes.

SUBSTANCE NOTES: Please refer to Other Material Notes.

POTASSIUM OXIDE ID: 12136-45-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	,	HAZARD	SCREENING DATE: 2025-03-17 6:35:13
%: 3.0000 - 6.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists

CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)

SUBSTANCE NOTES: Please refer to Other Material Notes.

ID: 60873-85-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2025-03-17 6:35:15
%: 0.5000 - 3.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Reagent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
MAM	GHS - Japan			amage to organs [Specific target oxicity following single exposure -
SKI	GHS - New Zealand		Skin corrosion cat	regory 1C
EYE	GHS - New Zealand		Serious eye dama	age category 1
EYE	GHS - Japan		H318 - Causes se eye irritation - Cat	erious eye damage [Serious eye damage /
SKI	GHS - Japan		H315 - Causes sk Category 2]	in irritation [Skin corrosion / irritation -
EYE	GHS - Australia		H318 - Causes se damage/eye irritat	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (G	SPI)	GSPI - Six Classe	es Precautionary List
			Antimicrobials	

SUBSTANCE NOTES: Please refer to Other Material Notes.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-03-17 6:35:14

%: 1.0000 - 3.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Absorbent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinoger	ns	Occupational Card	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	rific to chemical form or exposure route
CAN	IARC		Group 2B - Possib	oly carcinogenic to humans - inhaled sources
CAN	MAK			3A - Evidence of carcinogenic effects establish MAK/BAT value
END	TEDX - Potential Endocrine Disrupt	tors	Potential Endocrin	ne Disruptor
CAN	MAK		Carcinogen Group risk under MAK/B	4 - Non-genotoxic carcinogen with low
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6	Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Children's Product	ts
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute		Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	onal Care Products
POSITIVE LIST	US Environmental Protection Agen- EPA)	cy (US	US EPA - DfE Saf	er Chemicals Ingredients list (SCIL)
	·		Colorants - Green	Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	on Institute	C2C Certified v4.1 Substances - Effect	Product Standard Restricted ctive July 1, 2024
			Cosmetics and Pe	ersonal Care Products

SODIUM OXIDE ID: 1313-59-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-03-17 6:35:16

%: 0.1000 - 0.3000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Please	e refer to Other Material Notes.			

				ID: 1308-38 -
Pharos Chemical and Materials L	ibrary	HAZARD	SCREENING DATE:	2025-03-17 6:35:1
GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE R	OLE: Reagent
LIST NAME AND SOURC	E	WARNINGS		
MAK		Sensitizing Substa	ance Sh - Danger of	skin sensitization
GHS - Japan		repeated exposure	e [Specific target orga	ans/systemic toxicity
LIST NAME AND SOURC	E	NOTIFICATION		
Cradle to Cradle Products (C2CPII)	Innovation Institute			
		Biological and Env	vironmentally Releas	ed Materials
Cradle to Cradle Products (C2CPII)	Innovation Institute			
		Children's Produc	ts	
Cradle to Cradle Products (C2CPII)	Innovation Institute			estricted
		Children's Toy Pro	oducts	
	GreenScreen: BM-1 LIST NAME AND SOURCE MAK GHS - Japan LIST NAME AND SOURCE Cradle to Cradle Products (C2CPII) Cradle to Cradle Products (C2CPII)	LIST NAME AND SOURCE MAK GHS - Japan LIST NAME AND SOURCE Cradle to Cradle Products Innovation Institute (C2CPII) Cradle to Cradle Products Innovation Institute (C2CPII)	GreenScreen: BM-1 RC: None NANO: No LIST NAME AND SOURCE WARNINGS MAK Sensitizing Substate And Source H372 - Causes date repeated exposure following repeated exposure f	GreenScreen: BM-1 RC: None NANO: No SUBSTANCE RO WARNINGS MAK Sensitizing Substance Sh - Danger of standard exposure [Specific target organs throorepeated exposure [Specific target organs following repeated exposure - Category following repeated

PHOSPHORUS PENTOXIDE				ID: 1314-56-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	ibrary	HAZARD	SCREENING DATE: 2025-03-17 6:35:14
%: 0.1000 - 0.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Desiccant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

MANGANESE (II) OXIDE	ID: 1344-43-0
----------------------	----------------------

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD	SCREENING DATE: 2025-03-17 6:35:13
%: 0.1000 - 0.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adsorbent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation cate	egory 2
EYE	GHS - New Zealand		Eye irritation cate	egory 2
MAM	GHS - Australia			amage to organs through prolonged or re [Specific target organ toxicity - re - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	Children's Products C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
RESTRICTED LIST		C2C Certified v4.1 Product Standard Restricted
RESTRICTED LIST		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZAR	RD SCREENING DATE: 2025-03-17 6:35:15
%: 0.0000 - 0.0010	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
		1
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 1
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

CEMENT	%: 3.0000 - 4.0000	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Potential impurity of Portland Cement and various geological materials, based on information provided by suppliers and Pharos CML.

OTHER MATERIAL NOTES: Weight ranges are used to cover multiple products and to not reveal exact recipe.

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-03-17 6:35:16	
%: 89.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOUR	RCE .	WARNINGS	
CAN	MAK	MAK		3B - Evidence of carcinogenic effects or classification
END	TEDX - Potential Endocr	rine Disruptors	Potential Endocrin	e Disruptor
MAM	GHS - Japan		-	respiratory irritation [Specific target agle exposure - Category 3]
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
ADDITIONAL LISTINGS	S LIST NAME AND SOUR	RCE .	NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

c	ALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)	ID: 60873-85-0
---	---	-----------------------

%: 0.0000 - 6.8700 HAZARD TYPE SKI MAM	GreenScreen: BM-2 LIST NAME AND SOURCE	RC: None	NANO: No	SUBSTANCE ROLE: Reagent
SKI	LIST NAME AND SOURCE			
MAM			WARNINGS	
	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation -
MAM	GHS - Japan		repeated exposure	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
	GHS - Japan			amage to organs [Specific target oxicity following single exposure -
SKI	GHS - New Zealand		Skin corrosion cat	egory 1C
EYE	GHS - New Zealand		Serious eye dama	ige category 1
EYE	GHS - Japan		H318 - Causes se eye irritation - Cate	erious eye damage [Serious eye damage / egory 1]
SKI	GHS - Japan		H315 - Causes sk Category 2]	in irritation [Skin corrosion / irritation -
EYE	GHS - Australia		H318 - Causes se damage/eye irritat	erious eye damage [Serious eye tion - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GS	SPI)	GSPI - Six Classe	es Precautionary List
		*		•

SILICON DIOXIDE ID: 7631-86-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARD	SCREENING DATE: 2025-03-17 6:35:15
%: 0.0000 - 2.0500	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Desiccant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause	e cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia		H350i - May caus Category 1A or 1I	e cancer by inhalation [Carcinogenicity -
MAM	GHS - Japan		•	e respiratory irritation [Specific target ngle exposure - Category 3]
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic toxicity d exposure - Category 1]
MAM	GHS - Australia			amage to organs through prolonged or re [Specific target organ toxicity - re - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Classe	es Precautionary List
			Antimicrobials	

SUBSTANCE NOTES: Please refer to Other Material Notes.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2025-03-17 6:35:15
%: 0.0000 - 0.5200	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

ALUMINUM OXIDE ID: 1344-28-1

HAZARD DATA SOURCE: P	haros Chemical and Materials Library	/	HAZARD S	CREENING DATE: 2025-03-17 6:35:
%: 0.0000 - 0.5100	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	respiratory irritation [Specific target gle exposure - Category 3]
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or [Specific target organs/systemic toxicit exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	ation Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Biological and Envi	ironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	ation Institute		Product Standard Restricted SL) - Effective July 1, 2022
			Children's Products	S
RESTRICTED LIST	Cradle to Cradle Products Innov	vation Institute	C2C Certified v4.1 Substances - Effec	Product Standard Restricted tive July 1, 2024
			Children's Toy Prod	ducts

HAZARD DATA SOURCE: PI	haros Chemical and Materials Librar	У	HAZARD	SCREENING DATE: 2025-03-17 6:35:1
%: 0.0000 - 0.3500	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Reagent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	US EPA - EPCRA Extremely H Substances	azardous	Extremely Hazard	lous Substances
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-03-17 6:35:15

%: 0.0000 - 0.3200

GreenScreen: BM-1

RC: None

NANO: No SUBSTANCE ROLE: Catalyst

SULFUR TRIOXIDE

ID: 7446-11-9

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

				ID: 1309-48-4
HAZARD DATA SOURCE: PI	naros Chemical and Materials Library		HAZARD	SCREENING DATE: 2025-03-17 6:35:16
%: 0.0000 - 0.2300	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group	o 4 - Non-genotoxic carcinogen with low AT levels
MAM	GHS - Japan		•	e respiratory irritation [Specific target ngle exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

POTASSIUM OXIDE				ID: 12136-45-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD) SCREENING DATE: 2025-03-17 6:35:17
%: 0.0000 - 0.1000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Fixing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists

SODIUM OXIDE ID: 1313-59-3

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2025-03-17 6:35:17
%: 0.0000 - 0.0400	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All FIRE TROL® fireproof

columns facilities in CT, USA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2025-02-25 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: None



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The inner load-bearing core column can be a wide-flange, (WF),pipe or hollow steel section, (HSS) shape, meeting current ASTM grades, when HSS is specified, 4K psi concrete is pumped into the core column to maintain the UL fire rating. All core column fabrication is within accordance with American Institute of Steel Construction, (AISC), standards and practices.

MANUFACTURER INFORMATION

MANUFACTURER: United Steel. Inc ADDRESS: 164 School Street East Hartford, Connecticut 06108

COUNTRY: USA

WEBSITE: www.Fire-Trol.com CONTACT NAME: Tricia Brindle TITLE: National Sales Manager PHONE: +1 (860) 810-5703 EMAIL: Trish@Fire-Trol.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

